



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/765,402	01/27/2004	John Stephen Dunfield	100202073-1	2192

22879 7590 05/31/2006

HEWLETT PACKARD COMPANY
P O BOX 272400, 3404 E. HARMONY ROAD
INTELLECTUAL PROPERTY ADMINISTRATION
FORT COLLINS, CO 80527-2400

EXAMINER

RAZA, SAIRA B

ART UNIT	PAPER NUMBER
----------	--------------

1711

DATE MAILED: 05/31/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

cr

Office Action Summary	Application No. 10/765,402	Applicant(s) DUNFIELD ET AL.	
	Examiner Saira Raza	Art Unit 1711	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 20 March 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-72 is/are pending in the application.
- 4a) Of the above claim(s) 31,35-38,42-45,58,62-65 and 68-72 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-30,32,33,39,40,41,46-57,59,60,66 and 67 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restriction

1. Applicant's species election with traverse of claims 34, 41, and 64 in the reply filed on March 20, 2006 is acknowledged. The traversal is on the ground(s) that the species are not mutually exclusive. This is not found persuasive because indeed the species are considered mutually exclusive and hence restrictable.

2. The requirement is still deemed proper and is therefore made FINAL.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1, 2, 4-8, 11-14, 17, 18, 46, 47, and 49 are rejected under 35 U.S.C. 102(b) as being anticipated by Loughman (WO 99/38535) (Page 9, Line 25 to Page 10, Line 35, Example VII).

5. From a Prior Action:

6. In reference to claim 1 and 11, Loughman discloses a method for producing a microcapsule (referred to as a process of encasing the bound microparticles) comprising utilizing an ultrasonic atomizer where a dispersion of the first fluid (bound microparticles in an absorbable encasing polymer solution) is ejected as microdroplets into a second fluid (cooled non-solvent medium). The ultrasonic atomizer of Loughman functions as a fluid ejector and is activated at a frequency of 12 to 36kHz. Each activation of the ultrasonic atomizer generates a drop (having a volume), wherein the ultrasonic atomizer is fluidically coupled to a first fluid including a core component. Loughman discloses that the first fluid includes bound microparticles, the core component. For each drop of first fluid ejected into the second fluid, the result is the generation of a microcapsule in the second

fluid, wherein the microcapsule includes the core component (Page 9, Line 25 to Page 10, Line 35, Example VII).

7. In reference to claim 2, each activation of the ultrasonic atomizer of Loughman generates a drop, hence the ultrasonic atomizer comprises activation of a drop on demand fluid ejector. Wherein activation of any automated ultrasonic atomizer results in ejection of a drop, hence it is considered to comprise a drop on demand fluid ejector.

8. In reference to claim 4, 5, and 6, each activation of the ultrasonic atomizer of Loughman generates a drop. Hence it is inherent each activation results in the activation of an energy generating element one time, ejecting one drop of first fluid into said second fluid. Wherein if the energy generating element is activated n times, then n drops of first fluid will be ejected into second fluid, where n is an integer. The n drops resulting from the ultrasonic atomizer inherently produce a distribution of drop volumes within 6 or 10 percent of a specified volume.

9. In reference to claims 7 and 8, the ultrasonic atomizer of Loughman produces a drop with volume in the range of 1 atto-liter to about 1 pico-liter.

10. In reference to claims 12 and 13, it is inherent that activation of the ultrasonic atomizer of Loughman comprises application of an electrical pulse charging a nozzle through which first fluid is ejected, and applying a voltage pulse to deflect a pre-selected number of drops. The deflected pre-selected number of drops are ejected into a recirculator.

11. In reference to claim 14, the ejection of a drop is inherently a pre-selected distance above the surface of the second fluid.

12. In reference to claims 17 and 18, the ejection of a drop comprises ejecting a drop of first fluid from a chamber (referred to as homogenizer by Loughman) through one nozzle formed in a nozzle layer, wherein the chamber has a greater volume than the nozzle.

13. In reference to claim 46, Loughman discloses a method for producing a microcapsule (referred to as a process of encasing the bound microparticles) comprising utilizing an ultrasonic

atomizer where a dispersion of the first fluid (bound microparticles in an absorbable encasing polymer solution) is ejected as microdroplets into a second fluid (cooled non-solvent medium). The ultrasonic atomizer of Loughman functions as a fluid ejector and is activated at a frequency of 12 to 36kHz. Each activation of the ultrasonic atomizer generates a drop (having a volume), wherein the ultrasonic atomizer is fluidically coupled to a first fluid including a core component. Loughman discloses that the first fluid includes bound microparticles, the core component. For each drop of first fluid ejected into the second fluid, the result is the generation of a microcapsule in the second fluid, wherein the microcapsule includes the core component. Each activation of the ultrasonic atomizer of Loughman generates a drop. Hence it is inherent each activation results in the activation of an energy generating element one time, ejecting one drop of first fluid into said second fluid. Wherein if the energy generating element is activated n times, then n drops of first fluid will be ejected into second fluid, where n is an integer. The n drops resulting from the ultrasonic atomizer inherently produces a distribution of n fluid drop volumes, wherein each drop volume is said n fluid drops is within about 10 percent of a specified drop volume (Page 9, Line 25 to Page 10, Line 35, Example VII).

14. In reference to claim 47, Loughman discloses a method of using an ultrasonic atomizer (fluid ejection device) comprising: utilization and activation of a drop on demand fluid ejection device. Wherein each activation of the ultrasonic atomizer of Loughman generates a drop, hence the ultrasonic atomizer comprises utilization and activation of a drop on demand fluid ejector. Wherein activation of any automated ultrasonic atomizer results in ejection of a drop, hence it is considered to comprise a drop on demand fluid ejector. The drop on demand fluid ejection device of Loughman ejects essentially a drop of a first fluid including a microcapsule forming core component into a second fluid; specifically, the ultrasonic atomizer ejects the first fluid as microdroplets into the second fluid. Loughman discloses that the first fluid includes bound microparticles, the core component. For each drop of first fluid ejected into the second fluid, the result is the generation of a

Art Unit: 1711

microcapsule in the second fluid, wherein the microcapsule includes the core component (Page 9, Line 25 to Page 10, Line 35, Example VII).

15. In reference to claim 49, the ultrasonic atomizer of Loughman is inherently a pre-selected distance above the surface of the second fluid.

Claim Rejections - 35 USC § 103

16. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

17. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

18. Claims 3, 9, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Loughman (WO 99/38535) as applied to claim 1 above, and further in view of Boucher et al. (US Patent No. 6,641,254).

19. From a Prior Action:

20. Loughman fails to teach that the fluid ejector activation further comprises activation of a thermal resistor or a piezoelectric element, wherein when the thermal resistor is utilized then at least one component of the first fluid is heated above its boiling point. Hence attention is directed towards the Boucher reference.

Art Unit: 1711

21. Boucher teaches that it is well known in the fluid ejector art to utilize a fluid ejector comprising either a thermal resistor or a piezoelectric element, in order to utilize an energy generating element that produces the force necessary to eject the first fluid. Specifically, if the thermal resistor is employed, a component in the first fluid is rapidly heated above its boiling point causing ejection of a drop of the first fluid (2:2-10).
22. It would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized the fluid ejector of Loughman with either a thermal resistor or a piezoelectric element in order to ensure sufficient force is present to eject the first fluid, as taught by Boucher.
23. Claims 29, 30, 32, 33, 34, 39, 40, and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Loughman (WO 99/38535) as applied to claim 1 above, and further in view of Wang (US Patent No. 5,462,866).
24. From a Prior Action:
25. Loughman fails to teach the limitations of the first fluid and second fluid components, as well as the specifics of the generation of a microcapsule as stated in claims 29, 30, 34, 39, and 40. Hence attention is directed towards the Wang reference.
26. Wang discloses a process to form semipermeable microspheres encapsulating biological material. Specifically, the microspheres are formed via a fluid ejector. In reference to claim 29, the first fluid comprises a polyanion solution mixed with a core component (plastic beads). In reference to claim 40, the generation of the microcapsule in the second fluid comprises forming a coacervate. Specifically, the generation of the microcapsule comprises generation of a chitosan alkali metal alginate microcapsule, as in claim 39. In reference to claim 34, the core component of Wang comprises whole blood cells, which inherently contain hemoglobin. (6:30-40, Example 1 & 5). In reference to claims 30, 32, and 33, Wang envisages a variety of components comprising the first and second fluid, one example includes a second fluid, which is immiscible in the first fluid. Another

example is a first fluid including a core component and monomer and a second fluid including a core-reactant to the monomer, wherein the monomer and co-reactant form a polymer shell encapsulating the core component. One motivation for the selection of the aforementioned first and second fluids and the core component is to encapsulate biological material and to utilize polymers for the formation of polyelectrolyte complexes that are NIH approved for human implantation or that are naturally occurring water soluble polymers.

27. Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have included the limitations of claims 29, 30, 32, 33, 34, 39, and 40 in the process of Loughman in view of the teachings of Wang in order to encapsulate biological materials and utilize polymer materials in the first and second fluid that are NIH approved for human implantation or that are naturally occurring water soluble polymers.

28. Claims 15, 16, 19-28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Loughman (WO 99/38535) as applied to claim 1 above.

29. From a Prior Action:

30. In reference to claims 15, 16, 23 and 26-28, Loughman teaches the utilization of an ultrasonic atomizer, which ejects droplets of a first fluid into a second fluid. In reference to claims 15, 16, and 23, Loughman would contemplate the second fluid as a thin film in order to ensure minimal coating of the first fluid drop by the second fluid. The second fluid is stirred, resulting in the inherent flow of a thin film of the second fluid in a direction perpendicular to the axis of the fluid ejector head. In reference to claims 26-28 Loughman would contemplate the second fluid as a mist in order to ensure partial coating of the first fluid drop by the second fluid. In order to have the second fluid as a mist, it would have obvious to utilize the same fluid ejector as utilized to form a drop of the first fluid. Specifically, it is necessary to activate a plurality of second fluid ejectors, which are coupled to the second fluid; the second fluid drops are ejected nearby to the drop of the first fluid, wherein the ejection from the plurality of second fluid ejectors results in the formation of a mist of the

second fluid. Wherein if the same fluid ejectors are utilized for formation of droplets of the first and second fluids, it is inherent that the distribution of the second fluid drop volumes is within 10 percent of a specified second fluid drop volume.

31. It would have been obvious to one of ordinary skill at the time of the invention to form a microcapsule via the ultrasonic atomizer of Loughman, wherein the first fluid drop is ejected into either a thin film or a mist of the second fluid (in addition to the limitations in claims 16, 23, 27, and 28), in order to ensure minimal coating of the second fluid or ensure a partial shell around the first fluid drop.

32. In reference to claims 19, 20, 22, 24, 25, Loughman teaches the utilization of an ultrasonic atomizer, which ejects droplets of a first fluid into a second fluid. In reference to claim 19, Loughman would contemplate a portion of the nozzle of the ultrasonic atomizer below the surface of the second fluid in order to ensure engulfment of the first fluid drop by the second fluid. In reference to claim 20, the second fluid is stirred, resulting in the inherent flow of the fluid in a direction perpendicular to the axis of the fluid ejector head. In reference to claim 25 and 24, the nozzle and head of the ultrasonic atomizer is capable of movement, and Loughman would envisage reciprocally translating the fluid ejector in a lateral direction in the second fluid, in order to maximize the number of microcapsules formed. Specifically, the ultrasonic atomizer would move in one lateral direction either in or over the second fluid, become activated at a pre-selected location, and eject a drop of first fluid into second fluid at the pre-selected location.

33. It would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized the ultrasonic atomizer of Loughman wherein a portion of the nozzle is below the surface of the second fluid and to reciprocally translate the fluid ejector (in addition to the limitations of claims 19, 20, 22, 24 and 25), in order to ensure engulfment of the first fluid drop by the second fluid and to maximize the number of microcapsules formed.

Art Unit: 1711

34. In reference to claims 21, Loughman teaches the utilization of an ultrasonic atomizer, which ejects droplets of a first fluid into a second fluid. The nozzle and head of the ultrasonic atomizer is capable of movement, and Loughman would envisage reciprocally translating the fluid ejector in a lateral direction over the second fluid, in order to maximize the number of microcapsules formed. Specifically, the ultrasonic atomizer would move in one lateral direction over the second fluid, become activated at a pre-selected location, and eject a drop of first fluid into second fluid at the pre-selected location.

35. It would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the ultrasonic atomizer of Loughman and to reciprocally translate the fluid ejector in order to maximize the number of microcapsules formed.

36. Claim 48 is rejected under 35 U.S.C. 103(a) as being unpatentable over Loughman (WO 99/38535) as applied to claim 47 above, and further in view of Boucher et al. (US Patent No. 6,641,254).

37. From a Prior Action:

38. Loughman fails to teach that the energizing the fluid ejector further comprises energizing or activating a thermally activated fluid ejector. Hence attention is directed towards the Boucher reference.

39. Boucher teaches that it is well known in the fluid ejector art to utilize a fluid ejector comprising either a thermal resistor, in order to utilize an energy generating element that produces the force necessary to eject the first fluid and to rapidly heat a component in the first fluid above its boiling point causing ejection of a drop of the first fluid (2:2-10). Hence activation of Boucher's fluid ejector comprising a thermal resistor is considered energizing a thermally activated fluid ejector.

40. It would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized the fluid ejector of Loughman with a thermal resistor in order to ensure sufficient force

Art Unit: 1711

is present to eject the first fluid and to rapidly heat a component in the first fluid above its boiling point causing ejection of a drop of the first fluid, as taught by Boucher.

41. In reference to claims 50, 51, 52, 53, 54 and 55 Loughman teaches the utilization of an ultrasonic atomizer, which ejects droplets of a first fluid into a second fluid. In reference to claim 50, Loughman would contemplate a portion of the nozzle of the ultrasonic atomizer below the surface of the second fluid in order to ensure engulfment of the first fluid drop by the second fluid. In reference to claims 51, the second fluid is stirred, resulting in the inherent flow of the fluid in a direction perpendicular to the axis of the fluid ejector head. In reference to claims 52, 53, and 54 the nozzle and head of the ultrasonic atomizer is capable of movement, and Loughman would envisage reciprocally translating the fluid ejector in a lateral direction either in or over the second fluid, in order to maximize the number of microcapsules formed. Specifically, the ultrasonic atomizer would move in one lateral direction either in or over the second fluid, become activated at a pre-selected location, and eject n drops of first fluid into second fluid at n pre-selected lateral locations. In reference to claim 55, Loughman would contemplate the second fluid as a thin film in order to ensure minimal coating of the first fluid drop by the second fluid.

42. It would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized the ultrasonic atomizer of Loughman wherein a portion of the nozzle is below or over the surface of the second fluid and to reciprocally translate the fluid ejector (in addition to the limitations of claims 50-55), in order to ensure engulfment of the first fluid drop by the second fluid, to maximize the number of microcapsules formed, and to ensure minimal coating of the first fluid drop by the second fluid.

43. Claims 56, 57, 59, 60, 61, 66, and 67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Loughman (WO 99/38535) as applied to claim 47 above, and further in view of Wang (US Patent No. 5,462,866).

44. From a Prior Action:

45. Loughman fails to teach the limitations of the first fluid and second fluid components, as well as the specifics of the generation of a microcapsule as stated in claims 56, 57, 61, 66, and 67. Hence attention is directed towards the Wang reference.

46. Wang discloses a process to form semipermeable microspheres encapsulating biological material. Specifically, the microspheres are formed via a fluid ejector. In reference to claim 56, the first fluid comprises a polyanion solution mixed with a core component (plastic beads). In reference to claim 67, the generation of the microcapsule in the second fluid comprises forming a coacervate. Specifically, the generation of the microcapsule comprises generation of a chitosan alkali metal alginate microcapsule, as in claim 66. In reference to claim 61, the core component of Wang comprises whole blood cells, which inherently contain hemoglobin. (6:30-40, Example 1 & 5). In reference to claims 57, 59, and 60, Wang envisages a variety of components comprising the first and second fluid, one example includes a second fluid, which is immiscible in the first fluid. Another example is a first fluid including a core component and monomer and a second fluid including a core-reactant to the monomer, wherein the monomer and co-reactant form a polymer shell encapsulating the core component. One motivation for the selection of the aforementioned first and second fluids and the core component is to encapsulate biological material and to utilize polymers for the formation of polyelectrolyte complexes that are NIH approved for human implantation or that are naturally occurring water soluble polymers.

47. Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to have included the limitations of claims 56, 57, 59, 60, 61, 66, and 67 in the process of Loughman in view of the teachings of Wang in order to encapsulate biological materials and utilize polymer materials in the first and second fluid that are NIH approved for human implantation or that are naturally occurring water soluble polymers.

Response to Arguments

48. Applicant's arguments filed March 20, 2006 have been fully considered but they are not persuasive.

49. In response to applicant's request for claim 41 to be considered, examiner has included claim 41 in the above rejection. It is noted that claim 41 was not previously indicated as reading on the elected species of "hemoglobin" by applicant's representative, Donald Coulman, on November 29, 2005 via telephonic election.

50. In response to applicant's argument that each activation of ultrasonic atomizer of Loughman does not generate a drop, it is first noted that the claim states, "essentially a drop," hence does not exclude the generation of more one than drop. Each activation of Loughman's ultrasonic atomizer (i.e. fluid ejector) generates essentially a drop, hence can clearly be considered as a drop on demand fluid ejector. Applicant has not provided evidence to the contrary.

51. In response to applicant's argument that a microcapsule is not formed in the second fluid, it is noted that in the encasing process of Loughman, the microdroplets (composed of the first fluid) are introduced via the fluid ejector into a cooled non-solvent medium (second fluid), the result is encasing of the bound microparticles. The second fluid extracts the solvent from the particles; the droplets freeze immediately upon contact with the slurry (second fluid) (page 10, lines 34), hence, forming microspheres.

52. In response to applicant's argument that the claimed ranges of drop volumes are not present in Loughman, it is noted that Loughman discloses that the drops have a average diameter of 0.5 μ m to 100 μ m and upon conversion into volumetric units (assuming that the drops are essentially spherical), the resulting volumetric range falls within the claimed range.

53. In response to applicant's argument that Loughman does not disclose an electrical pulse charging an nozzle, it is noted that Loughman would envisage employment of any suitable ultrasonic atomizer including an electric discharging atomizer having the properties as in claims 12 and 13.

54. In response to applicant's argument that Loughman does not disclose a nozzle formed in a nozzle layer, as in claims 17 and 18, it is noted that Loughman discloses that the first fluid is contained in an homogenizer and is then feed into an ultrasonic atomizer nozzle. Loughman's homogenizer is the chamber of applicant, and has a volume greater than the nozzle. Examiner takes the position that the disclosure of one nozzle by Loughman constitutes a nozzle layer.

55. Applicant argues that neither Boucher nor Wang disclose, teach, or suggest "activating a fluid ejector at a frequency greater than 10 kilohertz [and] ejecting essentially a drop of said first fluid into a second fluid, said drop having a volume; and generating a microcapsule in said second fluid for each drop of said first fluid ejected." In response, examiner has utilized the Boucher and Wang references to teach or suggest the various deficiencies of the Loughman reference, as provided in the detailed rejection above. Examiner has not utilized the Boucher or Wang reference for disclosure of the above quoted subject matter, rather this matter was disclosed by Loughman as discussed above.

56. In response to applicant's argument that the no motivation exists to combining Loughman and Wang, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

57. In response to applicant's argument that Wang does not disclose a first fluid immiscible with said second fluid, it is noted that Wang discloses a variety of fluids in Tables 1-3, wherein some combinations may be immiscible.

Conclusion

58. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Saira Raza whose telephone number is (571) 272-3553. The examiner can normally be reached on Monday-Friday from 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1711

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



James J. Seidleck
Supervisory Patent Examiner
Technology Center 1700